



BEACON / SOUNDER

Combined beacon sounder function
LED indicator
Integral sounder

Compatible with remote monitoring systems

Double skinned designer plate
Flush or surface mount in 35 mm single gang back box
Anti-tamper fixings

AVAILABLE IN OTHER FINISHES

FOR DISABLED TOILET SYSTEMS

FOLKNOLL DISABLED TOILET ALARM SYSTEMS

Our disabled toilet alarm series is a range of flexible, easy to install and operate equipment, enabling you to install cost effective vandal resistant disabled toilet alarm systems. Using this range you can construct anything from stand-alone toilet alarms to site-wide systems with remote fault monitoring, events logs, graphical workstations etc.

DT 7800-115 BEACON SOUNDER VERTICAL DESIGNER

The DT 7800-115 is a combined beacon and sounder in a single gang unit with a double skinned designer faceplate allowing you to customise the appearance of your system.

Beacon sounder units are usually mounted on a wall outside of the toilet to attract attention in the event of alarm activation. The LED beacon is dome shaped and can be seen from the side. Ideal for corridors etc.

Create your own label - colours, patterns, multiple languages, hieroglyphics, runes, the choice is yours. Why not talk to our design team for help with your theme. Alternatively simply paint the rear skin to match or clash with its surroundings. If the supplied annotation is not required mount the annotated fascia to the rear.

AN IDEAL SOLUTION FOR THAT EXTRA SPECIAL APPLICATION

The top skin is annotated in black with the words **ASSISTANCE REQUIRED**. If this is not required the annotation may be hidden by your design by swapping the reversing the skins.

This unit is suitable for use in stand-alone and remotely monitored systems, including our plan based graphical workstation systems for larger complexes. Third party interfaces are also available on request.

The beacon sounder unit can be mounted in flush or surface 35 mm single gang back boxes (not supplied).

PART NUMBERS

DT 7800-115

Disabled Toilet Alarm Beacon Sounder Vertical Designer

SPECIFICATIONS

Face Plate:

Double skinned designer faceplate

Mounting:

Single gang back box (not supplied)

Dimensions:


Width: 86 mm, height: 86 mm, depth: < 35 mm (approx.)

Power:

12 / 24 V dc (usually supplied by battery backed system PSU)

CONNECTIONS

Beacon/Sounder Unit



DESIGNED FOR LIFE

At Folknoll all equipment is designed by experienced engineers for easy installation, simple configuration, straightforward operation, low maintenance and high reliability.

CUSTOM UNITS

Folknoll is a customer focused company. If you need special software features, custom made units or special systems please contact Folknoll and discuss your requirements with one of our engineers.

FURTHER INFORMATION

For further information or support for any of our wide range of products, systems and services please contact **Sales at Folknoll, Old North Rd, Royston, HERTS, SG8 5DT, UK.**

Folknoll



Disabled Toilet Alarm
DT 7800-115
Beacon Sounder Vertical Designer

DT 7800-115 DS1 V1.00 22/08/2014 Disabled Toilet Alarm Beacon Sounder Vertical Designer

Tel: +44 (0) 1763 234567

Email: sales@folknoll.co.uk

www: www.folknoll.co.uk