



- Large, easily identifiable, push buttons
- Can be 'daisy-chained' for multiple call points and increased accessibility
- Reassurance indicator, local buzzer, IP65 gaskets available
- Mounts on standard UK, 35mm, single gang, back box (anti-tamper fixings available)
- Interface and termination options for all Folknoll alarm systems
- Standard and custom faceplates available
- Suitable for use in public areas

### EMERGENCY ASSISTANCE ALARMS

Ensure accessibility and compliance across your **PUBLIC BUILDINGS** with Folknoll's robust, cost-effective emergency assistance alarms. Engineered for vandal resistance and compatible with **BS 8300-2** and **DOCUMENT M**. Our impressive range offers stand-alone solutions for small sites and multi-channel solutions for larger sites with a comprehensive portfolio of remote monitoring options - including dedicated cabling, SMS, Audio, networked and IP audio. Perfect for **TOILETS, BATHROOMS, CHANGING PLACES**, etc.

### SINGLE GANG CALL BUTTONS

Our Single Gang Call Buttons are vandal resistant, alarm activation points with illuminated call button or other reassurance indication. To call for help, a distressed user presses the call button. The button activates the alarm system, attracting attention and assistance.

### ACTIVATION DELAY

When used in conjunction with Folknoll emergency assistance alarms, this button must be held for a minimum of 0.25 seconds before it will operate, - reducing the risk of accidental operation.

### BUTTON ILLUMINATION AND SEPARATE REASSURANCE INDICATOR

If fitted, button illumination and separate reassurance indicators are usually configured to mimic the action of the over-door beacon, giving the user positive visual alarm state indication within the alarm zone.

### THE STANDARD OPTION



The standard faceplate option (DT5720.20F) is made from brushed finish stainless steel, with the word **CALL** silk screened in black and has an illuminated button to provide user reassurance. Other faceplates finishes and alternative annotation are available on request.


### MOUNTING

This unit is designed for mounting in a standard >35mm, single-gang, UK back box. Anti-tamper fixings are available on request.

## **INTERFACE OPTIONS**

Folknoll Single Gang Call Buttons units are fitted with optional interfaces and terminals to match various Folknoll alarm systems.

### **STANDARD INTERFACE OPTION**



The standard interface option allows connection to external controllers and is suitable for use as a reset or additional reset for with basic, enhanced and network (SVR) controllers.

### **NIOSPro INTERFACE OPTION**



The NIOSPro interface option offers a standard interface with an additional buzzer. It is designed for use with Folknoll NIOSPro networked alarms systems, although it can also be used as a reset or additional reset for with basic, enhanced and network (SVR) controllers.

### **IP65 GASKET OPTION**

For additional ingress protection a water resistant gasket is available for this device. Please contact Folknoll for details.

**IF MOUNTED ON AN UNEVEN SURFACE THE FACEPLATE MUST BE SEALED WITH A WATERPROOF SEALANT**

## FACEPLATE OPTIONS

### FACEPLATE FEATURES



- Vandal resistant, push button with red LED reassurance indication
- Tough, vandal-resistant, brushed finish, stainless steel plate
- Black text

### STANDARD INTERFACE

DT5720.20F

### NIOSPro INTERFACE

DT5720.20F/NIOSPRO



- Vandal resistant, red mushroom push button with red LED reassurance indication
- Tough, vandal-resistant, chrome plated pane
- Black text

DT5720.20F/CHROME

DT5720.20F/CHROME/NIOSPRO



- Vandal resistant, red mushroom push button with red LED reassurance indication
- Tough, vandal-resistant, brass plated panel
- Black text

DT5720.20F/BRASS

DT5720.20F/BRASS /NIOSPRO



- Vandal resistant, push button with red LED reassurance indication
- Tough, vandal-resistant, brushed finish, stainless steel plate
- Black tactile text

DT 7800-153

DT 7800-153/NIOSPRO



- Vandal resistant, black mushroom button with separate red LED reassurance indication
- Tough, vandal-resistant, brushed finish, stainless steel plate
- Red alarm symbol

DT 7800-137

DT 7800-137/NIOSPRO



- Vandal resistant push button
- Mild steel, white painted plate
- Red annotation

DT7520.25  
(DEPRECIATED)

NOT AVAILABLE

## **SPECIFICATIONS**

Mounting:	Standard UK 35mm single gang back box (not supplied)
Dimensions:	Width: 86mm, height: 86mm, depth: <35mm (approx.)
Power:	12Vdc and 24Vdc versions available, please specify when ordering

## **ABOUT FOLKNOLL**

We are a UK based systems design, manufacturing and installation company. Since 1975 we have been supplying tough, reliable, practical, alarm and control systems for the private and public sectors. All of our products and systems have been designed for easy installation and low maintenance by experienced engineers. As original manufacturers, all of our products and systems can be customised to suit your requirements. We also offer individual annotation, custom engraving and special finishes for all of our equipment.

## **GET IN TOUCH**

Contact us now for further information about our range of great products and services. Find out how we can provide a cost-effective solution for you.



**Folknoll Group Ltd**

19 Old North Rd, Royston, HERTS, SG8 5DT, UK

[www.folknoll.co.uk](http://www.folknoll.co.uk)

**+44 (0) 1763 234567**

[enquiries@folknoll.co.uk](mailto:enquiries@folknoll.co.uk)